



Supervisor's guide for corporate version of "AntiPlagiat.Network" system

User guide update 12.01.2023

Content

1. Introduction.....	3
1.1. Terms and definitions.....	3
1.2. Purpose and conditions of use.....	4
2. Preparation for the start.....	5
2.1. Workplace.....	5
2.2. Log in and log out from the system.....	5
2.3. Role change.....	6
3. Profile.....	7
4. Customer Care Service.....	7
5. Adding a website.....	8
6. Security log review.....	9
6.1. Administrator's activity log review.....	9
6.2. Detailed audit of user actions.....	10
7. Usage statistics review.....	11
8. Contact information.....	12

1. Introduction

This manual is intended to familiarize you with the means of work in the "Antiplagiat" .

The manual contains information about the purpose, capabilities, features of the system, as well as a description of the actions that provide check of text documents for the detecting reuse.

1.1. Terms and definitions

Term	Definition
System "Antiplagiat" (service)	Online tool for working with text documents with user interface on the web-site.
Text similarity	A fragment of the document text that contains the text or a fragment of the source text and is not formatted in accordance with quotation rules
Text recycling	A fragment of the document text that contains the text or a fragment of the source text, the author or co-author of which is the author of the checked document
Quotes	A fragment of the document text that contains the text or a fragment of the source text and formatted in accordance with the rules of quotation, with full bibliographic information about the source. Also quotes include common expressions, bibliography, fragments of text found in sources from the collections of regulatory documents.
Text similarity percentage	The proportion of all found similar text in relation to the total size of the checked document in characters
Text recycling percentage	The proportion of all found text recyclings in relation to the total size of the checked document in characters
Quotes percentage	The proportion of all found quotes in relation to the total size of the checked document in characters
Originality percentage	The proportion of all document text fragments that were not found in the sources used for check, in relation to the total size of the checked document in characters
Report	The result of checking the text for reuse: <ul style="list-style-type: none"> • Brief report - is a percentage of originality, list of text sources. • Full report - is a percentage of originality, list of text sources, the full text of the document, marked with found similarity text blocks.
Report share	The ratio of the volume of matches that is taken into account within this source to the total volume of the document. That is, if the same text was found in several sources, it is taken into account only in one of them. When summing up the shares in the reports for all sources, a percentage of "Similarity" is obtained.
Text share	The ratio of the volume of matches of the source text to the volume of the

	document. The shares in the text by sources are not summed up when calculating the total percentage of matches.
Report blocks	The number of text similarity blocks from the source, taking into account the intersections of all found sources.
Text blocks	The number of text similarity blocks from a source without regard to other found sources.
Collection (search module)	<p>The software module of the corporate version of the system "Antiplagiat", implementing the search for text reuse. The module uses a search index or a special computational algorithm to build reports. The system can have several collection. Search modules may differ in purpose, for example:</p> <ul style="list-style-type: none"> • Internet search; • Citations; • Russian State Library (RSL) collection; • GARANT collection; • eLIBRARY collection; • National Library of Belarus (NLB) collection. <p>Once you have access to several search collections, you can build both individual reports and a single report for all search collections.</p> <p>Some collections perform searches across specialized databases with the casts of the texts of the source documents, but to obtain access to the selected search module doesn't mean getting access to the full texts of the documents it can find this collection. In the received reports, links to the documents will be indicated (their names will also be given), and when viewing the source text, it will contain fragments that coincide with the document being checked.</p>
Browser	Software that allows users to view pages on Internet sites and access files and software associated with those pages. For example, Mozilla Firefox, Google Chrome, etc.
Text metrics	Semantic characteristics for each uploaded document.

1.2. Purpose and conditions of use

The service is designed to check text documents for plagiarism. As a result of the scan, users receive text reuse reports. The report contains information on the sources and indicators of text similar to source, as well as detailed information with the indication of those fragments of the checked document that have been identified as text similarity. The identification is accompanied by the presentation of the matching text fragment of the borrowing source and/or the reference to the original (URL). As a result of the document check, the user can determine which part of the document is written independently and which part is reused.

To use the service you need:

- Connect to the Internet;
- Install a browser or use the browser of one of the most common types built into your operating system (MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above).

The results of work with the system "Antiplagiat" are not the basis for claims of copyright violations, the service is aimed at use only for information purposes. In other words, we do not declare that a particular text is plagiarism, but only inform you about the presence of the same or similar text fragment. It is possible that when working with the service, you will find the text copied from other sources, including the possibility that the downloaded document is the original source. In

any case, when working with the service, be careful, try to be objective and do not rush to conclusions. Remember that the service is only a tool of work, and only the user can give a real assessment to the document.

2. Preparation for the start

2.1. Workplace

To prepare the workplace when working with the system "Antiplagiat" it is enough to open a browser. To work with the service, browsers of the most common types, such as MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above, can be used.

To get started, go to the service website by typing in the address bar of the browser address you received by e-mail from the administrator of the company.


So, we have a ready workplace:

- files downloaded to your computer;
- the browser is open;
- the service's website page is opened in the browser.

2.2. Log in and log out from the system


To access the system, use the login form. To do this, click on the "Log in" link in the upper right corner of the page.

If you do not remember the e-mail that you used for registration in the system, then you can use the "Remember e-mail" function on the login page. You will see a window for entering registration details from the old site: login and password. If you enter your login and password correctly, you will see the e-mail you used for registration on the old site.




Picture 1. Log in to the workspace in the "Antiplagiat" system.

Fill your credentials into the opened login form. Click on the "Show password" button, if you want to check the correctness of the password. Click on the "Log in".



Picture 2. Login form into "AntiPlagiat" system

After log in the icon "Menu" will be displayed on every page of the website in the upper right corner of the page. When you click on the icon, the navigation through the sections of your account will be available. To the left of the "Menu" icon you will see a brief information about yourself: the role in the system and e-mail. Figure 4 depicts an example for the "Expert" role.




Picture 3. Dropdown menu

To log out from the system, click on the "Menu" icon and then select "Log out".

2.3. Role change

If your system administrator has assigned you more than one role, you will see an arrow next to the role name located at the top of the page. Click the name of the current role to view the full list of roles available to you.




Picture 4. List of user's roles

To change a role, click its name in the drop-down list of roles. After that, the page will change the name of the current role, and you will be redirected to the user account for this role. Please note that only one role is available at a time.

3. Profile

To go to your profile, click on the "Menu" and select the "Profile" tab.

In the profile you can review your credentials. User's data can be changed only by the company administrator.



Picture 5. User's profile

4. Customer Care Service

If you do not find answers to questions about the system, please contact Customer Care Service. To do this, click on the "Menu" in the upper right corner and select the "Customer Care Service" tab. The system opens a window with a form to send the case.




Picture 6. Feedback form

Enter your question in the "Message" field and click on the "Send" button. Our experts will respond to your request to the e-mail, which was used to log in.

5. Adding a website

Our Internet search module performs a check on the already indexed sites of the web. If you find an interesting site or resource that is not included in the Internet search module, you can add it to our search module. This will allow you to build more complete and reliable reports for check through the Internet search module.

To add a website for indexing, click on "Menu" and select "Add website". Copy the link in the URL field and click "Add". You can also leave a comment about the site to which this link leads, for example, that this site is an open e-library or abstracts site.



Picture 7. Website indexing form

If the site you specify is already known to our system, you will receive the message: "The Site has already been processed by our system".

Please note that the new website will be placed in the Internet search Module according to the order of the indexing queue.

6. Security log review

6.1. Administrator's activity log review

The activity log for all users of the system is available to you. The activity log allows you to view all security events that occurred on the site. To go to the activity log click on the «Menu » icon and select «Activity log».

In the «Administrator actions» tab, you will see a list of all actions that have been performed by users with the « Administrator» role.

Activity log

ADMINISTRATOR ACTIONS DETAILED USER AUDIT

EXPORT TO .CSV FILE

Date	Action	Ip	Result	E-mail/id of the user who performed the action	Location	E-mail/id of the user with whom the action was performed	Description
24 Apr 2018 20:14	Administrator login	1.234.56.789	success	user1@tnu.com / 25	Home page		
24 Apr 2018 20:16	Impersonate mode	1.234.56.789	success	user1@tnu.com / 25	Home page		
24 Apr 2018 20:15	Administrator login	1.234.56.789	success	user234@tnu.com / 3	Home page		
24 Apr 2018 20:18	Role change	1.234.56.789	success	f1@antiplagiat.ru / 2	Users administration page		

Picture 8. Administrator actions

The following action attributes are displayed in the list:

- action type (see action types below);
- date and time of the action;
- IP address of the PC from which the action is performed;
- action result ("success" / "fail");
- E-mail/id of the user who performed the action;
- location (e.g. name of the field, window, interface object, ID of the document within which the action is performed);
- E-mail/id of the user with whom the action was performed;
- description of the action.

Types of actions in the Administrator's action log:

- attempts to login/logout of the administrator;
- attempts to add/edit users in the company;
- attempts to delete/restore company users;
- attempts to block/unblock company users;
- attempts to impersonate into the users of the company;

For the convenience of Action log usage, the user's E-mail or Id search is available in the list of actions.

Activity log

ADMINISTRATOR ACTIONS DETAILED USER AUDIT

EXPORT TO .CSV FILE

Date	Action	Ip	Result	E-mail/id of the user who performed the action	Location	E-mail/id of the user with whom the action was performed	Description
24 Apr 2018 20:14	Administrator login	1.234.56.789	success	user1@tnu.com / 25			
24 Apr 2018 20:16	Impersonate mode	1.234.56.789	success	user1@tnu.com / 25	Home page		

Enter an administrator email... [APPLY] [X]

Picture 9. Search for administrator actions by e-mail in the security log

The csv-file with the log of administrator actions can be downloaded from the system. To do this, click on the «Export to .csv file».

6.2. Detailed audit of user actions

In the «Detailed user audit» tab the supervisor can view the list of actions of all users of the company.

Activity log ?

ADMINISTRATOR ACTIONS DETAILED USER AUDIT

[EXPORT TO .CSV FILE](#) 1/45422

Date	Action	Ip	Result	E-mail/id of the user who performed the action	Location	E-mail/id of the user with whom the action was performed	Description
22 May 2018 10:48	Document upload	1.234.56.789	success	user1@tnu.com / 25	Workspace		document name: 26144 (1); document No.: 4177
19 Dec 2017 15:31	Activity log review	1.234.56.789	success	user1@tnu.com / 25	Activity log page		
18 Apr 2017 13:15	Activity log review	1.234.56.788	success	user2@tnu.com / 6	Activity log page		
30 Sep 2016 13:03	Document upload	1.234.56.789	success	user1@tnu.com / 25	Workspace		document name: 26144; document No.: 4176

Picture 10. «Detailed user audit» tab

Users action log contains the following information about the security events:

- action type (see action types below);
- date and time of the action;
- IP address of the PC from which the action is performed;
- action result ("success" / "fail");
- E-mail/id of the user who performed the action;
- location (e.g. name of the field, window, interface object, ID of the document within which the action is performed);
- E-mail/id of the user with whom the action was performed;
- description of the action.

The following types of actions are registered in the activity log:

- login/logout, as well as attempts to enter the subjects of access the information system;
- attempts to upload documents to the System by the company's users;
- attempts to delete documents from the System by company users;
- attempt to edit document metadata (change properties, fields' attributes) the document uploaded to the System;
- attempts to recover deleted documents in the System by users with «Administrator» role;
- review of information regarding security events in the activity log by a user with «Supervisor» role.

In the «Detailed user audit» tab, similar to «Administrator action», the search for actions by E-mail or Id of the user is available, and the action log can be downloaded in csv format.

7. Usage statistics review

To view system statistics usage please go to the page "Statistics" by clicking on the respective section of "Menu". This page displays the date of the most recent update of statistics and a statistical report by companies, aimed to assess the extent of system utilization and monitor the number of checks within one company.

DETAILED SYSTEM USAGE

Statistics show key quantitative measures for companies. Allows you to assess the extent of system usage and monitor the number of checks for a company. Statistics include the total number of system users, as well as active users who have uploaded or checked at least one document during the selected period. In order to determine whether or not a user is active, the number of documents uploaded to their workspace as well those uploaded to the Storage are taken into account. The average number of checks is calculated by dividing the number of documents checked by the number of active users.

For the period
 from 01.11.2018 to 30.11.2018
 Company: All
 Do not include deleted users
 Do not include deleted documents
 GENERATE
 DOWNLOAD A REPORT
 from 15.04.2019 16:21:49

Company	Users at the end of the period	Active users	Documents in Storage	Documents in Index	Generated reports	Average number of checks
system	12	0	0	0	0	0
university	13	2	0	0	7	4
users	6	0	0	0	0	0

Picture 11. Detailed system use

To generate the statistical report, select the time period for which you want to build a report, and click on the "Generate" button.

To view the actual data without taking into account deleted users and/or documents, mark the box next to "Do not include deleted users" and/or "Do not include deleted documents".

The following metrics are displayed in the generated statistical report:

- Users at the end of the period. The number of users created in the company from the very beginning till the end date of the selected interval.
- Active users. The number of users who have uploaded or checked at least one document during the selected period.
- Documents in Storage. Number of documents uploaded to the Storage during the selected period.
- Documents in Index. Number of documents added to the Index during the selected period.

Please note: Documents which are in the process of indexing are not included in the statistics.

- Generated reports. Number of text reuse reports generated during the selected period.
- Average number of checks. Number of checked documents divided by the number of active users.

In addition to viewing the statistical report on the website, there is the ability to download a report in csv format. To do this, click on the "Download a report" button.

8. Contact information

For technical support, please contact: support@antiplagiat.ru

If you have questions about purchasing the service for organizations, please contact our Sales department: sales@antiplagiat.ru

If you have questions about the methodology of the system implementation or user training, please contact: metodolog@antiplagiat.ru